

# Strippers



COOPER Tools

GC/Waldom



Paladin Tools®



PAN PACIFIC ENTERPRISES CO., INC.



## Two-Step Coaxial Stripper

24-7732P Stripper  
99-7732B Blade cassette

Use for RG58, 59, 62, perfect for F connectors



## Three-Step Coaxial Stripper

24-7733P Stripper  
99-7733B Blade cassette

Use for RG 58, 59, 62, perfect for 3 piece connectors



## Universal Coaxial Stripper

24-7734P Stripper  
99-7734 Set of 2 blades

Use for RG-6, 59, 62



COOPER Tools

## Wire Strippers

100X Stripper, cutter  
101S Stripper, cutter - spring opening  
103S Stripper, cutter

Cuts and strips both solid and stranded wire cleanly and neatly. Adjustable screw stop for different wire sizes. Hardened with ground blades. 101S has spring-equipped self-opening handles. Red plastic-coated cushion provides maximum leverage.



## Snips

Shearing action of 1<sup>1/2</sup>"/38mm cut pointed blades prevents peaks on fine wires and filament. Useful for removing insulation and cutting light sheet metal. Coil spring opens blades. Safety latch. Red plastic-coated cushion grip provides maximum leverage.



## GC/Waldom

### Speed-O-Matic Wire Stripper

- 766 For Sizes 12 to 20 Wire
- 766-A For Sizes 14 to 30 Wire
- 766-B For Sizes 10 to 18 Wire
- 766-l For Sizes For Sizes 8 to 22 Wire

Features "Fully Automatic Delayed Action" to prevent crushing fine wires. Speed-O-Matic has narrow, easy-grip, handles and interchangeable blades.



## Electrician's Scissors

- 35-088 Electrician's scissors with stripping notches
- 35-089 Electrician's scissors

Designed for use in telephone and electrical service applications. Cut up to 16 gauge solid and 12 gauge stranded wire. Serrated surface on back blade edge cleans wire. Electrician's Scissors with stripping notches strip 19 and 23 gauge wire. High carbon, cutlery grade steel blades.



## Wire Strippers

### Cyclops® Data Cable Stripper

Fast, easy removal of outer sheath insulation (PVC and Plenum types) from all Unshielded Twisted Pair (UTP), Shielded Twisted Pair (STP) and multicore cables up to .433in / 11mm in diameter.



### Cable Stripper

This lightweight, compact stripper is inexpensive and simple to operate. Adjustable blades can be set for any depth to help ensure nick-free strips. Use with twisted-pair wire, tightly wrapped stranded cables, CATV cable, CB antenna cable, SO, SJ, SJT, and other types of flexible power cords. Includes three straight and one round cable.



# Strippers



## Coax Strippers

- 45-520 Tool  
45-522 Replacement Cassette

3 Step (black) Stripper for Dual Crimp BNC and TNC Connectors. Strips braid 0.240 in. or 6 mm and dielectric 0.240 in. or 6 mm



45-520

- 45-521 Tool  
45-523 Replacement Cassette

3 Step (Brown) Stripper for Dual Crimp BNC/TNC and Thinnet BNC Connectors. Strip is for MIL-C-39012 connectors. Strips braid 0.328 in. or 8.2 mm and dielectric 0.109 in or 2.7 mm

Adjustable coax wire strippers allow blade adjustment for stripping of RG-58, RG-59/RG-62, Belden® 8281® Twinax or RG-6 coaxial cable. Specific adjustments needed for each cable size.

## Stripmaster® Telephone Wire Stripper

45-270

Strips flat telephone cable (.60in. Or 1.52mm) quickly and easily with one step squeeze action. Zinc construction for durability and corrosion resistance. Spring-action, mechanical advantage increases stripping leverage and reduces operator fatigue.



## Stripmaster® Wire Strippers and Knife-Type Blades

Knife-type blades handle general purpose and commercial wire stripping. One-step, spring action mechanical advantage increases stripping leverage and reduces operator fatigue. Sturdy die-cast frame provides long, trouble-free life. Corrosion-resistant, lightweight and durable.

Specifications - Stripping Hole Diameters													Tools	Replacement Blades
8	10	12	14	16	18	20	22	24	26	28	30			
European Flat Lamp Cord												45-089	L-8762	
0.159	0.141	0.106											45-090	L-4419
	0.144	0.105	0.085	0.073	0.073								45-091	L-4420
	0.144	0.113	0.090	0.072	0.061	0.048	0.048						45-092	L-4421
			0.090	0.072	0.061	0.039	0.039						45-093	L-4422
SP-SPT (i.e. Lamp Cord)												45-095*	L-4452	
				0.072	0.061	0.048	0.039	0.032	0.026				45-097	L-4994
						0.048	0.039	0.032	0.026	0.021	0.016		45-098	L-5361
0.198	0.167			0.062	0.055								45-099	L-8763

\*Also strips 2 and 3 conductor low-voltage wire used in G.E. and Touchplate remote control wiring system.



## Cable Splicing Knife and Leather Holder

35-091

High carbon steel blade remains sharp and cuts easily through many insulation types. Comfortable, full size, no slip handle for easy use. Durable leather holder.



## Cable Splicing Kit

35-093

High quality kit keeps notched scissors (35-088) and cable splicing knife (35-091) in convenient leather holder.



## T-Stripper Wire Strippers

- |        |              |                    |
|--------|--------------|--------------------|
| 45-120 | Standard T-5 | 10-18 AWG Solid    |
| 45-121 | Standard T-6 | 16-26 AWG Stranded |
| 45-125 | Standard T-7 | 22-30 AWG Solid    |
| 45-124 | Standard T-8 | 8-16 AWG Stranded  |

Quality-built strippers feature looping holes, built-in wire cutters, cushioned plastic grips, and precision, knife-type blades for an accurate, easy strip every time.



45-120

## Premium T-Stripper Wire Strippers

- |        |             |                    |
|--------|-------------|--------------------|
| 45-215 | Premium T-5 | 10-18 AWG Solid    |
| 45-216 | Premium T-6 | 16-26 AWG Stranded |
| 45-217 | Premium T-7 | 22-30 AWG Solid    |
| 45-218 | Premium T-8 | 8-16 AWG Stranded  |

Precision form-ground, knife-type blades. Easy-to-see painted wire-gauge markings. Versatile plier-type nose. Custom-cushioned grips.

# Strippers

## Paladin Tools®

### Mini-Stripax® Plus 1115P

Universal wire stripper and cutter using changeable blades to strip PVC and Teflon® insulation. Strips PVC-insulated wire in the range of AWG 28-18 (.080 - 1.0 mm<sup>2</sup>) and Teflon-insulated wire in the range of AWG 32-18 (.032 - 1.0 mm<sup>2</sup>). Strips flexible and solid conductors with PVC, Teflon, silicone and other special insulation. Strips multiple conductors and thin ribbon cable conductors simultaneously. Adjustable wire stop and built-in wire cutter.



## CST Strippers

### 3 Level CST Strippers

1240	Green
1243	Brown
1247	Orange
1250	CST frame only
2245	CST memory



### 2 Level CST Strippers

1241	Blue
1242	Yellow
1244	Red
1246	Gray

Fixed-blade, coaxial cable stripping tool for cable diameters of 0.1-0.315in (2.5-8.0mm) including RG58, RG59, RG62, RG174 & Belden 8281). Strips outer jacket, shield braid and inner insulation down to center conductor. Interchangeable "memory" blade cassette holders eliminate need to readjust blades when changing cable types and sizes. Cam adjustment for different cable diameters ensures precise hold on cable. Two-sided blade cassette for longer use. Easy to install replacement blade cassettes and memory holder.

### SureStrip 4.0 904893

High-quality wire stripping and cutting tool for AWG 20-12 (0.5-4.0mm<sup>2</sup>). Strips stranded and solid conductors with PVC insulation. Strips multiple conductors and thin, ribbon-cable conductors simultaneously. Built-in wire cutter. Precision self-adjusting blades prevent wire damage. Strips double-insulated cables in two work cycles. User-replaceable blades.



### AM 25 Stripper 1820

2109	Replacement Blade
------	-------------------



Strips round cables from 0.18-1.0in (4.5-2.5mm) in diameter. Adjustable cutting depth for insulation up to 0.18in (4.5mm) thick. Swivel blade for circular, longitudinal and spiral cuts. Spare blade in handle. Cable holding clip with integrated edge for removing slit insulation.



## Rotary Coaxial Cable Stripper

### 2 Blade Strippers

PHT-73S-21	RG-59/62, RG-6
PHT-73S-22	RG-58, RG-59/62
PHT-73S-23	RG-6, RG-58, RG-59/62, 3C2V
PHT-73S-24	RG-174



### 3 Blade Strippers

PHT-73S-31	RG-59/62, RG-6
PHT-73S-32	RG-58, RG-59
PHT-73S-33	RG-213
PHT-73S-34	Cable with O.D. from 3.5mm to 5mm

No replacement cassette needed. Strip the coaxial cable jacket and the dielectric insulation in a single operation. Use the included hex key to align sockets and adjust blades. The V-block can be reversed for different cable outer diameter.

## F-Connector Combination Tool

PHT-73M-6	for RG-6
PHT-73M-59	for RG-59

One end for enlarging the space between shield and insulation, and the other end for pushing/twisting the F-connectors onto cable in preparation for crimping.



## Coaxial Cable Stripper

WS14	RG6/U, RG59/U, & RG62/U
WS15	RG58/U, RG59/U & RG62/U
WS145	RG6/U, RG58/U, RG59/U & RG62/U
WSB	Package of 4 replacement blades



With an easy twirl of the finger, this stripper prepares cable at once for attaching coax connectors. A convenient changeover method using a reversible V-block assembly switches the cable size effortlessly between RG58/U, RG59/U and RG6/U. The cutters are easily adjusted for non-standard cables by turning two set screws using the hex wrench stored in the handle. After the cable is cut, it is automatically stripped in a single action by removing the tool from the cable. Spare cutting blades are available and are readily installed.

## One Step Coax Stripper for RG59/U & RG6/U Cables

12-596	Coax Stripper
12-597	Replacement Blade (RG59 & RG6)
12-598	Replacement Blade (RG11)



The CATV Stripper is designed to quickly and easily strip RG59 and RG6 coaxial cables for CATV "F" connectors. It has a patented spring action that adjusts automatically to the cable so that no adjustments are needed. It has replaceable blade cassette that provides 1,000 to 2,000 strips. It provides an industry standard strip consisting of a braid strip length of .25" and a conductor strip length of .25".

# Strippers



## Professional Wire Stripper YY78318

Patented. Precise. Durable. Fine quality. This compact, self adjust wire stripper is especially designed for smaller wire. Easily handles 16-30 gauge wire without adjustment. Tool has built-in cutter. Is it compact and operates with low force. Will strip stranded and solid wire without nicking. Has adjustable stop for strip length.



## Wire Stripper & Cutting Tool WS18

Dial-A-Wire Size 12-24 gauge for precision stripping. Flush Cutting. The dial assures perfect stripping without a nick or break. The tool has a black oxide finish with plastic cushion grip handles.



# Tweezers



## Premium Stainless Steel Tweezers

- XSST3 Straight Point
- XSST4V Fine taper point (carded only)
- XSST5V Tapered-extra fine (carded only)
- XSST7 Curved tip-thin



High quality. For electronic use. Manufactured from anti-magnetic, anti-acid stainless steel. Working tips hand-finished for precise alignment. Overall length is 4<sup>1/2</sup>".

## Erem Ergonomic Tweezers

- E2ASA Flat, round precision tips
- E3CSA Straight, high precision tips
- EOOSA Straight, fine strong precision tips
- E5SA Straight, thin tapered ultra-fine, high precision tips
- E7SA Curved, fine point, high precision tips



Erem ergonomic tweezers give you the high test quality grade level for micro electronic handling applications. The comfort grips provide the ultimate in comfort and control; they also act as a heat shield. Ergonomic Tweezer features: Swiss stainless steel; ultra anti-magnetic; Made in Switzerland; ESD safe.

## Scissor Tweezers

- 32H Straight nose jr. seizer, smooth jaws
- 33H Curved nose jr. seizer, smooth jaws
- 42H Straight nose seizer, serrated jaws
- 43H Curved nose seizer, serrated jaws



Seizer forceps. Versatile tool with unusual holding qualities. Clamps firmly to hold wires for soldering. Acts as a heat sink and retrieves small parts from hard-to-reach places. Precision machined from perfectly tempered stainless steel. Box-joint construction. Three position snap lock. Add suffix "V" for carded products.



## High Precision Tweezers

Cat. No.	Length Inch	mm	Description
EROP2ASA	4.75	121	Flat, round tips.
EROP3SA	4.75	121	Straight tip for micro-electronics.
EROP3CSA	4.25	108	Fine tip for micro-electronics.
EROP5SA	4.5	114	Super-fine points for very fine wires and miniature components.
EROP5ASA	4.5	114	10° tip offset for confined areas
EROP7SA	4.75	121	Precision curved point for manipulation in confined areas.
EROPAASA	5.00	127	General use, straight point, hardened tips.
EROPACSA	4.25	108	General use, straight point, hardened tip.
EROPOOSA	4.75	121	Fine, straight points. Flat inside edges.
EROPOODSA	4.75	121	Fine, straight precision point. Serrated tips and outside handles.
EROPSSSA	5.50	140	Straight precision point. Extra long and narrow for access to confined areas.




## I.C. Extraction Tool 10230

Economical spring steel tool, one-piece construction, insulated, will work on all I.C. devices from 8 pin to 24 pin.



## Precision Tweezers

- 10132 4-1/2"
- 10134 Regular fine point 4-1/2"
- 10136 Curved fine point 4-1/2"
- 10138 Self closing fine point 4-1/2"
- 10140 Self closing 7"
- 10130 Kit of 4 Tweezers 4-1/2" (Nos. 10132, 10134, 10136 and 10138)



These quality, stainless steel tweezers are excellent for electronic and fine assembly.